

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

| Terms | Documents |
|---|-----------|
| L3 and menu\$3 same (generat\$6 or receiv\$6) | 39 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, October 18, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set</u> <u>Name</u> side by side | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|--|--|----------------------------|--|
| | DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | |
| <u>L7</u> | L3 and menu\$3 same (generat\$6 or receiv\$6) | 39 | <u>L7</u> |
| <u>L6</u> | L3 and menu\$3 same (generat\$6 or receiv\$6) same user same enter\$3 same (not\$3 or laborator\$3 or blood) | 9 | <u>L6</u> |
| <u>L5</u> | L3 and menu\$3 same (generat\$6 or receiv\$6) same user same enter\$3 same (not\$3 or laborator\$3 or blood) same resul\$3 same hvac | 0 | <u>L5</u> |
| <u>L4</u> | L3 and menu\$3 same (generat\$6 or receiv\$6) same user same enter\$3 same (not\$3 or laborator\$3 or blood) same resul\$3 same (ventilator or hvac) same data same (window\$3 or imag\$3) | 1 | <u>L4</u> |
| <u>L3</u> | L2 and (process\$6 or computer\$6)same (acquir\$6 or allow\$6) same patient same (order\$3 or hierarch\$6) (online or internet or www or world wide web) same (display\$6 or view\$6) | 140 | <u>L3</u> |

L2 same (medical\$3 or clinical\$3) same (information or data)

1100 L2

DB=USPT; PLUR=YES; OP=ADJ

L1 (5827180 or 5689229 or 5467773).pn.

3 L1

END OF SEARCH HISTORY